

User:	1	kevc
Product:	3	5mL Production
Batch:	challenge 1804065	
Notes:		

16 April 2018 15:01:22

Date Time

Starting date:	16/04/2018	2:56:14 PM
Ending date:	16/04/2018	3:01:21 PM

Counters:

INSPECTED	19		
ACCEPTED	5	26.32	%
REJECTED	14	73.68	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	10.53	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	2	10.53	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	7	36.84	%
Total Particles	10	52.63	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	10	52.63	%
Total Particles	10	52.63	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	11	57.89	%
Single Particles	10	52.63	%
Total Particles	11	57.89	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	3	15.79	%

Approved by:

Verified by: