

Batch:

21490035

User:	1	rachelb
Product:	2	20ml Production
Batch:	Challe	enge Set 170627
Notes:		

29 June 2017 15:57:42

Date Time

 Starting date:
 29/06/2017
 2:04:19 PM

 Ending date:
 29/06/2017
 3:57:42 PM

Counters:

INSPECTED	13		
ACCEPTED	0	0.00	%
REJECTED	10	76.92	%
TECHNICAL REJECT	3	23.08	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	10	76.92	%
Min Still particles	10	76.92	%
Tot. Still Particles	10	76.92	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	2	15.38	%
Flip-off	1	7.69	%
Aluseal Area	1	7.69	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	10	76.92	%
Single Particles	10	76.92	%
Total Particles	10	76.92	%
	0	0.00	%
Fill Level	10	76.92	%

ST4	AVAILABLE		ON
Totals:	10	76.92	%
Single Particles	10	76.92	%
Total Particles	10	76.92	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	76.92	ON %
Totals:	10	76.92	%
<i>Totals:</i> Single Particles	10 10	76.92 76.92	%

Approved by:	Verified by:	
--------------	--------------	--