

Batch:

21490035

User:	1	robj
Product:	4	100ml Production
Batch:	Challe	enge Set 1706068
Notes:		

08 June 2017 08:16:40

Date Time

 Starting date:
 08/06/2017
 8:05:17 AM

 Ending date:
 08/06/2017
 8:16:39 AM

Counters:

INSPECTED	17		
ACCEPTED	4	23.53	%
REJECTED	13	76.47	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	11.76	%
Min Still particles	2	11.76	%
Tot. Still Particles	1	5.88	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	11	64.71	%
Flip-off	10	58.82	%
Aluseal Area	0	0.00	%
Crimping	3	17.65	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	11	64.71	%
Single Particles	6	35.29	%
Total Particles	6	35.29	%
	0	0.00	%
Fill Level	9	52.94	%

ST4	AVAILABLE		ON
Totals:	5	29.41	%
Single Particles	5	29.41	%
Total Particles	5	29.41	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		ON %
	7 7	ABLE	
Totals:	7 7 7	ABLE 41.18	%
<i>Totals:</i> Single Particles	7 7 7 7 0	ABLE 41.18 41.18	% %

Approved by:	Verified by:	
--------------	--------------	--