

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 2006018
Notes:		

03 June 2020 08:05:12

Date Time

Starting date:	03/06/2020	08:04:03
Ending date:	03/06/2020	08:05:12

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	5	33.33	%
Min Still particles	5	33.33	%
Tot. Still Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	33.33	%
Flip-off	3	20.00	%
Aluseal Area	4	26.67	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	3	20.00	%
Total Particles	3	20.00	%
	0	0.00	%
Fill Level	1	6.67	%

ST4	AVAIL	ABLE	ON
Totals:	4	26.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 33.33	ON %
Totals:	5	33.33	%
<i>Totals:</i> Single Particles	5 5	33.33 33.33	% %

Approved by:	Verified by: