

Batch:

21490030

1	yvie
3	5mL Production
Challe	enge 2005144
	3

15 May 2020 10:30:23

Date Time

 Starting date:
 15/05/2020
 10:18:34

 Ending date:
 15/05/2020
 10:30:23

Counters:

INSPECTED	39		
ACCEPTED	30	76.92	%
REJECTED	9	23.08	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	2.56	%
Single Particles	0	0.00	%
Total Particles	1	2.56	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	8	20.51	%
Single Particles	1	2.56	%
Total Particles	8	20.51	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	7	17.95	%
Single Particles	0	0.00	%
Total Particles	7	17.95	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	<u> </u>	OFF
ST5 Totals:	NOT AVA	<u> </u>	
	NOT AVA	ILABLE	OFF
	0 0 0	ILABLE 0.00	OFF %
	0 0 0 0 0	0.00 0.00	<i>OFF</i> %

LKD co	ounters		
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	0	0.00	%
LKD2	0		01

Approved by:	Verified by:	
--------------	--------------	--