

User:	1	robj
Product:	1	Production 1ml
Batch:	challenge 1802205	
Notes:		

22 February 2018 17:21:24

Date Time

Starting date:	22/02/2018	5:15:50 PM
Ending date:	22/02/2018	5:21:24 PM

Counters:

INSPECTED	19		
ACCEPTED	5	26.32	%
REJECTED	14	73.68	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	10.53	%
Height	1	5.26	%
Shape	0	0.00	%
Black Spot	1	5.26	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	10	52.63	%
Total Particles	10	52.63	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	10	52.63	%
Total Particles	9	47.37	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	5.26	%
Still Particles	1	5.26	%
Tot. Still Particles	1	5.26	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	11	57.89	%
Single Particles	11	57.89	%
Total Particles	10	52.63	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	2	10.53	%
LKD2			ON
<i>Totals:</i>	2	10.53	%

Approved by:

Verified by: