

Batch:

21490035

User:	1	operator
Product:	2	Vial 50ml
Batch:	23456	57
Notes:		

27 October 2015 15:18:08

Date Time

Starting date:	27/10/2015	3:00:40 PM
Ending date:	27/10/2015	3:18:08 PM

Counters:

INSPECTED	75		
ACCEPTED	27	36.00	%
REJECTED	33	44.00	%
TECHNICAL REJECT	15	20.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	26	34.67	%
Min Still particles	22	29.33	%
Tot. Still Particles	26	34.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	1	1.33	%
Aluseal Area	0	0.00	%
Crimping	1	1.33	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	11	14.67	%
Single Particles	6	8.00	%
Total Particles	11	14.67	%
	0	0.00	%
Fill Level	0	0.00	%

ST4 AVAILABLE		ON	
Totals:	10	13.33	%
Single Particles	4	5.33	%
Total Particles	10	13.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	0.00	ON %
	0 0		
Totals:	0	0.00	%
<i>Totals:</i> Single Particles	0	0.00	% %

Approved by:	Verified by:	
--------------	--------------	--