

Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	12345	5678
Notes:		

04 June 2015 12:27:35

Date Time

 Starting date:
 04/06/2015
 12:22:13 PM

 Ending date:
 04/06/2015
 12:27:34 PM

Counters:

INSPECTED	151		
ACCEPTED	106	70.20	%
REJECTED	26	17.22	%
TECNICAL REJECT	19	12.58	%

Reject details:

ST0	AVAILABLE		ON
Totals:	1	0.66	%
Height	1	0.66	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	1.99	%
Single Particles	0	0.00	%
Total Particles	2	1.32	%
	0	0.00	%
Fill Level	1	0.66	%
ST2	AVAILABLE		ON
Totals:	2	1.32	%
Single Particles	0	0.00	%
Total Particles	2	1.32	%
	0	0.00	%
	0	0.00	%
ST3	AVAIL	AVAILABLE	
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	ST4 AVAILABLE		ON
Totals:	3	1.99	%
Single Particles	1	0.66	%
Total Particles	3	1.99	%
	0	0.00	%
	0	0.00	%
		0.00	
ST5	NOT AVA		OFF
ST5 Totals:	NOT AVA		
	NOT AVA	ILABLE	OFF
	NOT AVA 0 0	ILABLE 0.00	OFF %
	NOT AVA 0 0 0 0	0.00 0.00	<i>OFF</i> %

LKD co	ounters		
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	22	14.57	%

Approved by:	Verified by:	
--------------	--------------	--