

## Batch:

21490035

User:	1	campbelld
Product:	3	50ml Production
Batch:	Challe	enge Set 2005058
Notes:		

06 May 2020 07:30:59

## Date Time

Starting date:	06/05/2020	07:28:38
Ending date:	06/05/2020	07:30:58

## Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	20.00	%
Min Still particles	2	13.33	%
Tot. Still Particles	2	13.33	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	33.33	%
Flip-off	3	20.00	%
Aluseal Area	4	26.67	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	6	40.00	%
Single Particles	4	26.67	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	1	6.67	%

ST4	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	4	26.67	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 26.67	ON %
	AVAILA 4 4		
Totals:	4 4 4	26.67	%
<i>Totals:</i> Single Particles	4	26.67 26.67	% %

Approved by:	Verified by:	
--------------	--------------	--