

Batch:

21490035

| User: | 1 | adamb |
|----------|-------|-------------------------------|
| Product: | 3 | 50ml Production |
| Batch: | sodiu | m glycerophosphate BN 1612215 |
| Notes: | | |
| | | |
| | | |
| | | |

23 December 2016 09:04:28

Date Time

 Starting date:
 23/12/2016
 9:00:40 AM

 Ending date:
 23/12/2016
 9:04:28 AM

Counters:

| INSPECTED | 44 | | |
|------------------|----|-------|---|
| ACCEPTED | 40 | 90.91 | % |
| REJECTED | 4 | 9.09 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 2 | 4.55 | % |
| Min Still particles | 2 | 4.55 | % |
| Tot. Still Particles | 1 | 2.27 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|--------------|---------|
| Totals: | 2 | 4.55 | % |
| Single Particles | 1 | 2.27 | % |
| Total Particles | 2 | 4.55 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | 4.55 | ON % |
| | AVAILA 2 1 | | |
| Totals: | 2 1 2 | 4.55 | % |
| <i>Totals:</i> Single Particles | 2 | 4.55 2.27 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|