

|          |                   |                |
|----------|-------------------|----------------|
| User:    | 1                 | kevc           |
| Product: | 1                 | Production 1ml |
| Batch:   | challenge 1710265 |                |
| Notes:   |                   |                |
|          |                   |                |
|          |                   |                |

30 October 2017 13:43:22

Date Time

|                |                   |            |
|----------------|-------------------|------------|
| Starting date: | <b>30/10/2017</b> | 2:34:37 PM |
| Ending date:   | <b>30/10/2017</b> | 1:43:21 PM |

Counters:

|                 |           |       |   |
|-----------------|-----------|-------|---|
| INSPECTED       | <b>13</b> |       |   |
| ACCEPTED        | <b>1</b>  | 7.69  | % |
| REJECTED        | <b>12</b> | 92.31 | % |
| TECNICAL REJECT | <b>0</b>  | 0.00  | % |

Reject details:

| ST0                  | AVAILABLE |       | ON |
|----------------------|-----------|-------|----|
| Totals:              | 0         | 0.00  | %  |
| Height               | 0         | 0.00  | %  |
| Shape                | 0         | 0.00  | %  |
| Black Spot           | 0         | 0.00  | %  |
| Colour Rings         | 0         | 0.00  | %  |
| ST1                  | AVAILABLE |       | ON |
| Totals:              | 10        | 76.92 | %  |
| Single Particles     | 10        | 76.92 | %  |
| Total Particles      | 10        | 76.92 | %  |
|                      | 0         | 0.00  | %  |
| Fill Level           | 0         | 0.00  | %  |
| ST2                  | AVAILABLE |       | ON |
| Totals:              | 10        | 76.92 | %  |
| Single Particles     | 10        | 76.92 | %  |
| Total Particles      | 10        | 76.92 | %  |
|                      | 0         | 0.00  | %  |
|                      | 0         | 0.00  | %  |
| ST3                  | AVAILABLE |       | ON |
| Totals:              | 0         | 0.00  | %  |
| Still Particles      | 0         | 0.00  | %  |
| Tot. Still Particles | 0         | 0.00  | %  |
| Charrings            | 0         | 0.00  | %  |
| Tot. Charrings       | 0         | 0.00  | %  |

| ST4              | AVAILABLE     |       | ON  |
|------------------|---------------|-------|-----|
| Totals:          | 10            | 76.92 | %   |
| Single Particles | 9             | 69.23 | %   |
| Total Particles  | 10            | 76.92 | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
| ST5              | NOT AVAILABLE |       | OFF |
| Totals:          | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |

| LKD counters |    |       |    |
|--------------|----|-------|----|
| LKD1         |    |       | ON |
| Totals:      | 0  | 0.00  | %  |
| LKD2         |    |       | ON |
| Totals:      | 11 | 84.62 | %  |

Approved by:

Verified by: