

User:	5	Supervisor
Product:	4	Ampoules. 10ml
Batch:		
Notes:		

04 January 2016 07:36:49

Date Time

Starting date:	<b>04/01/2016</b>	7:34:04 AM
Ending date:	<b>04/01/2016</b>	7:36:49 AM

Counters:

INSPECTED	<b>5</b>		
ACCEPTED	<b>0</b>	0.00	%
REJECTED	<b>3</b>	60.00	%
TECNICAL REJECT	<b>2</b>	40.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	3	60.00	%
Single Particles	3	60.00	%
Total Particles	3	60.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	3	60.00	%
Single Particles	3	60.00	%
Total Particles	3	60.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	2	40.00	%
Single Particles	2	40.00	%
Total Particles	2	40.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: