

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 1234597
Notes:		

19 June 2020 08:41:44

Date Time

 Starting date:
 19/06/2020
 08:39:50

 Ending date:
 19/06/2020
 08:41:43

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	5	33.33	%
Min Still particles	4	26.67	%
Tot. Still Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	33.33	%
Flip-off	3	20.00	%
Aluseal Area	4	26.67	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	3	20.00	%
Total Particles	4	26.67	%
	0	0.00	%
Fill Level	1	6.67	%

ST4	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		ON %
		ABLE	
Totals:	3	ABLE 20.00	%
<i>Totals:</i> Single Particles	3	ABLE 20.00 20.00	% %

Approved by:	Verified by:	
--------------	--------------	--