

User:	1	adamb
Product:	3	Production 5mL
Batch:		
Notes:		

07 February 2018 15:20:44

Date Time

Starting date:	07/02/2018	3:20:43 PM
Ending date:	07/02/2018	3:20:44 PM

Counters:

INSPECTED	18		
ACCEPTED	4	22.22	%
REJECTED	14	77.78	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	11.11	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	2	11.11	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	55.56	%
Single Particles	9	50.00	%
Total Particles	10	55.56	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	12	66.67	%
Single Particles	10	55.56	%
Total Particles	12	66.67	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	12	66.67	%
Single Particles	10	55.56	%
Total Particles	12	66.67	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	1	5.56	%

Approved by:

Verified by: