

Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	12335	567
Notes:		

01 May 2015 10:43:55

Date Time

 Starting date:
 01/05/2015
 10:41:31 AM

 Ending date:
 01/05/2015
 10:43:54 AM

Counters:

INSPECTED	53		
ACCEPTED	15	28.30	%
REJECTED	23	43.40	%
TECNICAL REJECT	15	28.30	%

Reject details:

ST0	AVAILABLE		ON
Totals:	7	13.21	%
Height	7	13.21	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	10	18.87	%
Single Particles	4	7.55	%
Total Particles	5	9.43	%
	0	0.00	%
Fill Level	10	18.87	%
ST2	AVAILABLE		ON
Totals:	6	11.32	%
Single Particles	6	11.32	%
Total Particles	6	11.32	%
	0	0.00	%
	0	0.00	%
ST3	AVAIL	ABLE	ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON	
Totals:	10	18.87	%	
Single Particles	8	15.09	%	
Total Particles	10	18.87	%	
	0	0.00	%	
	0	0.00	%	
ST5	NOT AVA	ILABLE	OFF	
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %	
	NOT AVA			
	0 0 0	0.00	%	
	0 0 0 0 0	0.00	%	

LKD counters			
LKD1			OFF
Totals:	0	0.00	%
LKD2			OFF
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--