

Batch:

21490035

1	adamb
3	50ml Production
challe	nge 1906068
	=

05 June 2019 08:05:53

Date Time

 Starting date:
 05/06/2019
 08:04:41

 Ending date:
 05/06/2019
 08:05:52

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	20.00	%
Min Still particles	3	20.00	%
Tot. Still Particles	3	20.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	20.00	%
Flip-off	2	13.33	%
Aluseal Area	1	6.67	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	46.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
Fill Level	3	20.00	%

ST4	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		ON %
	AVAIL/ 4 4	ABLE	
Totals:	4	ABLE 26.67	%
<i>Totals:</i> Single Particles	4	ABLE 26.67 26.67	% %

Approved by:	Verified by:	
--------------	--------------	--