

## Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 1903268
Notes:		

27 March 2019 08:22:21

## Date Time

 Starting date:
 27/03/2019
 08:20:53

 Ending date:
 27/03/2019
 08:22:21

## Counters:

INSPECTED	15		
ACCEPTED	3	20.00	%
REJECTED	12	80.00	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	20.00	%
Min Still particles	3	20.00	%
Tot. Still Particles	3	20.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	4	26.67	%
Flip-off	2	13.33	%
Aluseal Area	2	13.33	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	9	60.00	%
Single Particles	4	26.67	%
Total Particles	8	53.33	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAIL	AVAILABLE	
Totals:	5	33.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
	Ŭ	0.00	70
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
	AVAILA 5	ABLE	ON
Totals:	5	ABLE 33.33	ON %
<i>Totals:</i> Single Particles	5 5	ABLE 33.33 33.33	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--