

Batch:

21490035

User:	9	simonb
Product:	6	50ml Amber
Batch:	Ambe	r 50ml TS4 run3
Notes:		

27 September 2018 13:44:57

Date Time

 Starting date:
 27/09/2018
 13:43:26

 Ending date:
 27/09/2018
 13:44:56

Counters:

INSPECTED	10		
ACCEPTED	5	50.00	%
REJECTED	5	50.00	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		OFF
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
	AVAILABLE		
ST2	AVAIL	ABLE	OFF
ST2 Totals:	AVAIL/ 0	0.00	<i>OFF</i> %
Totals:	0	0.00	%
Totals: Flip-off	0	0.00	% %
Totals: Flip-off Aluseal Area	0 0 0	0.00 0.00 0.00	% % %
Totals: Flip-off Aluseal Area	0 0 0 0	0.00 0.00 0.00 0.00 0.00	% % % %
Totals: Flip-off Aluseal Area Crimping	0 0 0 0 0 AVAIL	0.00 0.00 0.00 0.00 0.00	% % % % %
Totals: Flip-off Aluseal Area Crimping ST3	0 0 0 0 0 0 AVAIL	0.00 0.00 0.00 0.00 0.00 ABLE	% % % % % ON
Totals: Flip-off Aluseal Area Crimping ST3 Totals:	0 0 0 0 0 AVAIL	0.00 0.00 0.00 0.00 0.00 ABLE 50.00	% % % % % ON %
Totals: Flip-off Aluseal Area Crimping ST3 Totals: Single Particles	0 0 0 0 0 AVAIL 5	0.00 0.00 0.00 0.00 0.00 ABLE 50.00 20.00	% % % % % % % % % % % % % % % % % % %

ST4	AVAILABLE		OFF
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	OFF
ST5 Totals:	AVAIL/	0.00	
	0 0		OFF
Totals:	0	0.00	OFF %
<i>Totals:</i> Single Particles	0	0.00	<i>OFF</i> %

Approved by:	Verified by:	
--------------	--------------	--