

Batch:

21490035

| User: | 1 | robj |
|----------|--------|-----------------|
| Product: | 1 | 10ml Production |
| Batch: | challe | nge 2003248 |
| Notes: | | |
| | | |
| | | |
| | | |

06 April 2020 13:50:55

Date Time

| Starting date: | 06/04/2020 | 13:48:40 |
|----------------|------------|----------|
| Ending date: | 06/04/2020 | 13:50:55 |

Counters:

| INSPECTED | 3 | | |
|------------------|---|-------|---|
| ACCEPTED | 2 | 66.67 | % |
| REJECTED | 1 | 33.33 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 1 | 33.33 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 1 | 33.33 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | , | | |

| ST4 | AVAILABLE | | ON |
|------------------------------------|-------------|----------------------|-------------|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAILA 0 | 0.00 | ON % |
| | 0 0 | | === |
| Totals: | 0 | 0.00 | % |
| <i>Totals:</i> Single Particles | 0 | 0.00 | % % |
| <i>Totals:</i> Single Particles | 0 0 | 0.00 0.00 0.00 | % % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|