

User:	5	Supervisor
Product:	1	Ampoules. 1ml
Batch:	1111111	
Notes:		

24 September 2015 11:35:20

Date Time

Starting date:	<b>24/09/2015</b>	11:31:53 AM
Ending date:	<b>24/09/2015</b>	11:35:20 AM

Counters:

INSPECTED	<b>30</b>		
ACCEPTED	<b>0</b>	0.00	%
REJECTED	<b>30</b>	100.00	%
TECNICAL REJECT	<b>0</b>	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	10	33.33	%
Height	6	20.00	%
Shape	0	0.00	%
Black Spot	5	16.67	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	2	6.67	%
Single Particles	2	6.67	%
Total Particles	2	6.67	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	4	13.33	%
Single Particles	2	6.67	%
Total Particles	4	13.33	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	5	16.67	%
Single Particles	0	0.00	%
Total Particles	5	16.67	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	16	53.33	%
LKD2			ON
<i>Totals:</i>	19	63.33	%

Approved by:

Verified by: