

User:	1	kevc
Product:	1	Production 1ml
Batch:	challenge 1710115	
Notes:		

13 October 2017 13:29:52

Date Time

Starting date:	13/10/2017	1:15:46 PM
Ending date:	13/10/2017	1:29:52 PM

Counters:

INSPECTED	19		
ACCEPTED	5	26.32	%
REJECTED	14	73.68	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	3	15.79	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	3	15.79	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	8	42.11	%
Total Particles	9	47.37	%
	0	0.00	%
Fill Level	1	5.26	%
ST2	AVAILABLE		ON
<i>Totals:</i>	9	47.37	%
Single Particles	9	47.37	%
Total Particles	9	47.37	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	8	42.11	%
Single Particles	8	42.11	%
Total Particles	8	42.11	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	5.26	%
LKD2			ON
<i>Totals:</i>	3	15.79	%

Approved by:

Verified by: