

Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	11111	11
Notes:		

21 October 2015 09:41:12

Date Time

 Starting date:
 21/10/2015
 9:19:22 AM

 Ending date:
 21/10/2015
 9:41:11 AM

Counters:

INSPECTED	47		
ACCEPTED	45	95.74	%
REJECTED	2	4.26	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	2.13	%
Single Particles	0	0.00	%
Total Particles	1	2.13	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	1	2.13	%
Single Particles	0	0.00	%
Total Particles	1	2.13	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--