

## Batch:

21490030

User:	9	Admin
Product:	1	Ampoules. 1ml
Batch:	11111	112
Notes:		

12 November 2015 13:28:01

## Date Time

 Starting date:
 12/11/2015
 1:25:48 PM

 Ending date:
 12/11/2015
 1:28:01 PM

## Counters:

INSPECTED	129		
ACCEPTED	59	45.74	%
REJECTED	23	17.83	%
TECNICAL REJECT	47	36.43	%

## Reject details:

ST0	AVAILABLE		ON
Totals:	6	4.65	%
Height	4	3.10	%
Shape	2	1.55	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	5	3.88	%
Single Particles	5	3.88	%
Total Particles	5	3.88	%
	0	0.00	%
Fill Level	1	0.78	%
ST2	AVAIL		ON
Totals:	3	2.33	%
Single Particles	2	1.55	%
Total Particles	3	2.33	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	6	4.65	%
Still Particles	6	4.65	%
Tot. Still Particles	5	3.88	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	4	3.10	%
Single Particles	2	1.55	%
Total Particles	4	3.10	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA		OFF
ST5 Totals:	NOT AVA		OFF %
	NOT AVA	ILABLE	
	0 0 0	ILABLE 0.00	%
	0 0 0 0 0	0.00 0.00	% %

LKD counters			
LKD1			ON
Totals:	5	3.88	%
LKD2			ON
Totals:	16	12.40	%

Approved by:	Verified by:
--------------	--------------