

## Batch:

21490030

User:	5	Supervisor
Product:	4	Ampoules. 10ml
Batch:	11111	11
Notes:		

02 September 2015 15:35:37

## Date Time

 Starting date:
 02/09/2015
 3:35:36 PM

 Ending date:
 02/09/2015
 3:35:37 PM

## Counters:

INSPECTED	687		
ACCEPTED	408	59.39	%
REJECTED	222	32.31	%
TECNICAL REJECT	57	8.30	%

## Reject details:

ST0	AVAILABLE		ON
Totals:	8	1.16	%
Height	8	1.16	%
Shape	7	1.02	%
Black Spot	1	0.15	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	176	25.62	%
Single Particles	83	12.08	%
Total Particles	124	18.05	%
	0	0.00	%
Fill Level	133	19.36	%
ST2	AVAIL	ABLE	ON
Totals:	167	24.31	%
Single Particles	123	17.90	%
Total Particles	166	24.16	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	1	0.15	%
Still Particles	1	0.15	%
Tot. Still Particles	1	0.15	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		OFF
Totals:	8	1.16	%
Single Particles	2	0.29	%
Total Particles	8	1.16	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	2	0.29	%
LKD2			ON
Totals:	5	0.73	%

Approved by:	Verified by:
--------------	--------------