

## Batch:

21490035

User:	5	Supervisor
Product:	1	vials 100ml
Batch:	23456	57
Notes:		

16 October 2015 14:34:47

## Date Time

 Starting date:
 16/10/2015
 2:24:38 PM

 Ending date:
 16/10/2015
 2:34:47 PM

## Counters:

INSPECTED	181		
ACCEPTED	118	65.19	%
REJECTED	63	34.81	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	12	6.63	%
Min Still particles	3	1.66	%
Tot. Still Particles	12	6.63	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	17	9.39	%
Aluseal Area	8	4.42	%
Crimping	7	3.87	%
	5	2.76	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	33	18.23	%
Single Particles	30	16.57	%
Total Particles	32	17.68	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	25	13.81	%
Single Particles	19	10.50	%
Total Particles	24	13.26	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	4.97	ON %
Totals:	9	4.97	%
<i>Totals:</i> Single Particles	9	4.97 4.97	% %

Approved by:	Verified by:	
--------------	--------------	--