

User:	1	markw
Product:	1	Production 1ml
Batch:	Challenge 1802215	
Notes:		

26 February 2018 12:26:44

Date Time

Starting date:	26/02/2018	12:17:37 PM
Ending date:	26/02/2018	12:26:44 PM

Counters:

INSPECTED	21		
ACCEPTED	5	23.81	%
REJECTED	16	76.19	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	3	14.29	%
Height	0	0.00	%
Shape	2	9.52	%
Black Spot	1	4.76	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	47.62	%
Single Particles	7	33.33	%
Total Particles	9	42.86	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	47.62	%
Single Particles	10	47.62	%
Total Particles	9	42.86	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	4.76	%
Still Particles	1	4.76	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	11	52.38	%
Single Particles	11	52.38	%
Total Particles	9	42.86	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	2	9.52	%
LKD2			ON
<i>Totals:</i>	1	4.76	%

Approved by:

Verified by: