

Batch:

21490035

User:	1	yviw
Product:	4	100ml Production
Batch:	Challe	enge Set 1708098
Notes:		

10 August 2017 08:10:34

Date Time

 Starting date:
 09/08/2017
 2:43:20 PM

 Ending date:
 10/08/2017
 8:10:33 AM

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	6.67	%
Min Still particles	1	6.67	%
Tot. Still Particles	1	6.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	9	60.00	%
Flip-off	8	53.33	%
Aluseal Area	0	0.00	%
Crimping	3	20.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	9	60.00	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	8	53.33	%

ST4	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	40.00	ON %
	AVAILA 6 6		
Totals:	6	40.00	%
<i>Totals:</i> Single Particles	6 6	40.00 40.00	% %

Approved by:	Verified by:	
--------------	--------------	--