

## Batch:

21490035

| User:    | 1     | darylw             |
|----------|-------|--------------------|
| Product: | 4     | 100ml Production   |
| Batch:   | sodiu | m chloride 1709298 |
| Notes:   |       |                    |
|          |       |                    |
|          |       |                    |
|          |       |                    |

02 October 2017 09:15:23

## Date Time

 Starting date:
 02/10/2017
 8:32:11 AM

 Ending date:
 02/10/2017
 9:15:22 AM

## Counters:

| INSPECTED        | 568 |       |   |
|------------------|-----|-------|---|
| ACCEPTED         | 503 | 88.56 | % |
| REJECTED         | 60  | 10.56 | % |
| TECHNICAL REJECT | 5   | 0.88  | % |

## Reject details:

| ST0                  | NOT AVAILABLE |      | OFF |
|----------------------|---------------|------|-----|
| Totals:              | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST1                  | AVAILABLE     |      | ON  |
| Totals:              | 3             | 0.53 | %   |
| Min Still particles  | 3             | 0.53 | %   |
| Tot. Still Particles | 3             | 0.53 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST2                  | AVAILABLE     |      | ON  |
| Totals:              | 4             | 0.70 | %   |
| Flip-off             | 0             | 0.00 | %   |
| Aluseal Area         | 0             | 0.00 | %   |
| Crimping             | 4             | 0.70 | %   |
|                      | 0             | 0.00 | %   |
| ST3                  | AVAILABLE     |      | ON  |
| Totals:              | 52            | 9.15 | %   |
| Single Particles     | 37            | 6.51 | %   |
| Total Particles      | 39            | 6.87 | %   |
|                      | 0             | 0.00 | %   |
| Fill Level           | 2             | 0.35 | %   |

| ST4                             | AVAILABLE                  |              | ON          |
|---------------------------------|----------------------------|--------------|-------------|
| Totals:                         | 3                          | 0.53         | %           |
| Single Particles                | 3                          | 0.53         | %           |
| Total Particles                 | 3                          | 0.53         | %           |
|                                 | 0                          | 0.00         | %           |
|                                 | 0                          | 0.00         | %           |
|                                 |                            |              |             |
| ST5                             | AVAIL                      | ABLE         | ON          |
| ST5 Totals:                     | AVAIL/                     | ABLE<br>0.18 |             |
|                                 | AVAILA<br>1<br>1           |              | ON          |
| Totals:                         | 1<br>1<br>1                | 0.18         | ON<br>%     |
| <i>Totals:</i> Single Particles | AVAIL/<br>1<br>1<br>1<br>0 | 0.18<br>0.18 | <i>ON</i> % |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|