

User:	1	adamb
Product:	1	Production 1ml
Batch:		
Notes:		

24 October 2016 19:31:30

Date Time

Starting date:	24/10/2016	7:30:23 PM
Ending date:	24/10/2016	7:31:29 PM

Counters:

INSPECTED	24		
ACCEPTED	8	33.33	%
REJECTED	13	54.17	%
TECNICAL REJECT	3	12.50	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	5	20.83	%
Height	1	4.17	%
Shape	0	0.00	%
Black Spot	4	16.67	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	1	4.17	%
Single Particles	1	4.17	%
Total Particles	1	4.17	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	4	16.67	%
Single Particles	2	8.33	%
Total Particles	4	16.67	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	5	20.83	%
Still Particles	2	8.33	%
Tot. Still Particles	5	20.83	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	5	20.83	%
Single Particles	2	8.33	%
Total Particles	5	20.83	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: