

Batch:

21490030

User:	5	Supervisor
Product:	2	Ampoules. 2ml
Batch:	12345	56
Notes:		

19 November 2015 07:30:41

Date Time

 Starting date:
 19/11/2015
 6:34:18 AM

 Ending date:
 19/11/2015
 7:30:41 AM

Counters:

INSPECTED	5497		
ACCEPTED	2955	53.76	%
REJECTED	2193	39.89	%
TECNICAL REJECT	349	6.35	%

Reject details:

ST0	AVAILABLE		ON
Totals:	161	2.93	%
Height	34	0.62	%
Shape	6	0.11	%
Black Spot	138	2.51	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	51	0.93	%
Single Particles	9	0.16	%
Total Particles	35	0.64	%
	0	0.00	%
Fill Level	16	0.29	%
ST2	AVAIL	ABLE	ON
Totals:	91	1.66	%
Single Particles	12	0.22	%
Total Particles	91	1.66	%
	0	0.00	%
	0	0.00	%
ST3	AVAIL	ABLE	ON
Totals:	3	0.05	%
Still Particles	2	0.04	%
Tot. Still Particles	1	0.02	%
CI :	Λ	0.00	%
Charrings	0	0.00	70

ST4	AVAILABLE		ON
Totals:	245	4.46	%
Single Particles	31	0.56	%
Total Particles	245	4.46	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
ST5 Totals:	0	0.00	%
	0	0.00	% %

LKD counters			
LKD1			OFF
Totals:	1951	35.49	%
LKD2			OFF
Totals:	263	4.78	%

Approved by:	Verified by:
--------------	--------------