

Batch:

21490035

| User: | 1 | darylw |
|----------|-------|-------------------------------|
| Product: | 3 | 50ml Production |
| Batch: | Sodiu | m glycerophosphate BN 1701028 |
| Notes: | | |
| | | |
| | | |

05 January 2017 11:31:06

Date Time

 Starting date:
 05/01/2017
 10:36:33 AM

 Ending date:
 05/01/2017
 11:31:06 AM

Counters:

| INSPECTED | 3261 | | |
|------------------|------|-------|---|
| ACCEPTED | 3118 | 95.61 | % |
| REJECTED | 143 | 4.39 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 35 | 1.07 | % |
| Min Still particles | 35 | 1.07 | % |
| Tot. Still Particles | 15 | 0.46 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 5 | 0.15 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 2 | 0.06 | % |
| Crimping | 3 | 0.09 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 87 | 2.67 | % |
| Single Particles | 26 | 0.80 | % |
| Total Particles | 76 | 2.33 | % |
| | 0 | 0.00 | % |
| Fill Level | 11 | 0.34 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|--------------|--------------|---------|
| Totals: | 14 | 0.43 | % |
| Single Particles | 11 | 0.34 | % |
| Total Particles | 14 | 0.43 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ 15 | ABLE 0.46 | ON % |
| | | | |
| Totals: | 15 | 0.46 | % |
| <i>Totals:</i> Single Particles | 15 13 | 0.46 0.40 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|