

User:	1	mitchf
Product:	3	Production 5ml
Batch:	challenge 1705265	
Notes:		

26 June 2017 12:32:51

Date Time

Starting date:	26/06/2017	12:26:29 PM
Ending date:	26/06/2017	12:32:50 PM

Counters:

INSPECTED	14		
ACCEPTED	6	42.86	%
REJECTED	7	50.00	%
TECNICAL REJECT	1	7.14	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	1	7.14	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	1	7.14	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	3	21.43	%
Single Particles	1	7.14	%
Total Particles	3	21.43	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	6	42.86	%
Single Particles	2	14.29	%
Total Particles	5	35.71	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	2	14.29	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: