

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 2001138
Notes:		

15 January 2020 08:10:13

Date Time

Starting date:	15/01/2020	08:08:01
Ending date:	15/01/2020	08:10:13

Counters:

INSPECTED	15		
ACCEPTED	4	26.67	%
REJECTED	11	73.33	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	4	26.67	%
Min Still particles	4	26.67	%
Tot. Still Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	6	40.00	%
Flip-off	4	26.67	%
Aluseal Area	3	20.00	%
Crimping	2	13.33	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	2	13.33	%
Total Particles	2	13.33	%
	0	0.00	%
Fill Level	3	20.00	%

ST4	AVAILABLE		ON
Totals:	3	20.00	%
Single Particles	3	20.00	%
Total Particles	3	20.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 33.33	ON %
Totals:	5	33.33	%
<i>Totals:</i> Single Particles	5 4	33.33 26.67	% %

Approved by:	Verified by:	
--------------	--------------	--