

Batch:

21490030

| User: | 5 | Supervisor |
|----------|-------|---------------|
| Product: | 1 | Ampoules. 1ml |
| Batch: | 11111 | 11 |
| Notes: | | |
| | | |
| | | |

29 July 2015 15:01:16

Date Time

| Starting date: | 29/07/2015 | 2:59:57 PM |
|----------------|------------|------------|
| Ending date: | 29/07/2015 | 3:01:16 PM |

Counters:

| INSPECTED | 5 | | |
|-----------------|---|--------|---|
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 5 | 100.00 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAIL | AVAILABLE | |
|----------------------|-------|-----------|---|
| Totals: | 0 | 0.00 | % |
| Height | 0 | 0.00 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 0 | 0.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAIL | AVAILABLE | |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAIL | AVAILABLE | |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAIL | AVAILABLE | |
| Totals: | 5 | 100.00 | % |
| Still Particles | 5 | 100.00 | % |
| Tot. Still Particles | 5 | 100.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|-----------|----------------|----------|
| Totals: | 2 | 40.00 | % |
| Single Particles | 2 | 40.00 | % |
| Total Particles | 2 | 40.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % % |

| LKD co | ounters | | |
|---------|---------|-------|----|
| LKD1 | | | ON |
| Totals: | 3 | 60.00 | % |
| LKD2 | | | ON |
| Totals: | 0 | 0.00 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|