

Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	12345	6678
Notes:		

12 May 2015 08:20:58

Date Time

 Starting date:
 12/05/2015
 7:54:30 AM

 Ending date:
 12/05/2015
 8:20:56 AM

Counters:

INSPECTED	73		
ACCEPTED	0	0.00	%
REJECTED	36	49.32	%
TECNICAL REJECT	37	50.68	%

Reject details:

ST0	AVAILABLE		OFF
Totals:	35	47.95	%
Height	35	47.95	%
Shape	9	12.33	%
Black Spot	1	1.37	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		OFF
Totals:	1	1.37	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	1	1.37	%
ST2	AVAILABLE		OFF
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAIL	AVAILABLE	
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		OFF
Totals:	1	1.37	%
Single Particles	0	0.00	%
Total Particles	1	1.37	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	% %

LKD counters			
LKD1			OFF
Totals:	0	0.00	%
LKD2			OFF
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--