

|          |             |                |
|----------|-------------|----------------|
| User:    | 1           | robj           |
| Product: | 3           | Production 5mL |
| Batch:   | simon trial |                |
| Notes:   |             |                |
|          |             |                |
|          |             |                |

22 January 2018 16:34:14

### Date Time

|                |                   |            |
|----------------|-------------------|------------|
| Starting date: | <b>22/01/2018</b> | 4:34:11 PM |
| Ending date:   | <b>22/01/2018</b> | 4:34:13 PM |

### Counters:

|                 |          |      |   |
|-----------------|----------|------|---|
| INSPECTED       | <b>0</b> |      |   |
| ACCEPTED        | <b>0</b> | 0.00 | % |
| REJECTED        | <b>0</b> | 0.00 | % |
| TECNICAL REJECT | <b>0</b> | 0.00 | % |

### Reject details:

| ST0                  | AVAILABLE |      | ON |
|----------------------|-----------|------|----|
| <i>Totals:</i>       | 0         | 0.00 | %  |
| Height               | 0         | 0.00 | %  |
| Shape                | 0         | 0.00 | %  |
| Black Spot           | 0         | 0.00 | %  |
| Colour Rings         | 0         | 0.00 | %  |
| ST1                  | AVAILABLE |      | ON |
| <i>Totals:</i>       | 0         | 0.00 | %  |
| Single Particles     | 0         | 0.00 | %  |
| Total Particles      | 0         | 0.00 | %  |
|                      | 0         | 0.00 | %  |
| Fill Level           | 0         | 0.00 | %  |
| ST2                  | AVAILABLE |      | ON |
| <i>Totals:</i>       | 0         | 0.00 | %  |
| Single Particles     | 0         | 0.00 | %  |
| Total Particles      | 0         | 0.00 | %  |
|                      | 0         | 0.00 | %  |
| ST3                  | AVAILABLE |      | ON |
| <i>Totals:</i>       | 0         | 0.00 | %  |
| Still Particles      | 0         | 0.00 | %  |
| Tot. Still Particles | 0         | 0.00 | %  |
| Charrings            | 0         | 0.00 | %  |
| Tot. Charrings       | 0         | 0.00 | %  |

| ST4              | AVAILABLE     |      | ON  |
|------------------|---------------|------|-----|
| <i>Totals:</i>   | 0             | 0.00 | %   |
| Single Particles | 0             | 0.00 | %   |
| Total Particles  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
| ST5              | NOT AVAILABLE |      | OFF |
| <i>Totals:</i>   | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |

| LKD counters   |   |      |    |
|----------------|---|------|----|
| LKD1           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |
| LKD2           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |

Approved by:

Verified by: