

User:	1	kevc
Product:	4	10mL Production
Batch:	challenge 1801045	
Notes:		

22 March 2018 14:06:05

Date Time

Starting date:	22/03/2018	1:57:52 PM
Ending date:	22/03/2018	2:06:05 PM

Counters:

INSPECTED	14		
ACCEPTED	1	7.14	%
REJECTED	13	92.86	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	11	78.57	%
Single Particles	6	42.86	%
Total Particles	11	78.57	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	12	85.71	%
Single Particles	12	85.71	%
Total Particles	11	78.57	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	10	71.43	%
Single Particles	10	71.43	%
Total Particles	10	71.43	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	7.14	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: