

Batch:

21490035

| User: | 1 | samc |
|----------|---|------------------|
| Product: | 4 | 100ml Production |
| Batch: | | |
| Notes: | | |
| | | |
| | | |

08 November 2017 14:33:35

Date Time

 Starting date:
 08/11/2017
 2:33:35 PM

 Ending date:
 08/11/2017
 2:33:35 PM

Counters:

| INSPECTED | 126 | | |
|------------------|-----|-------|---|
| ACCEPTED | 112 | 88.89 | % |
| REJECTED | 13 | 10.32 | % |
| TECHNICAL REJECT | 1 | 0.79 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 6 | 4.76 | % |
| Min Still particles | 6 | 4.76 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 1 | 0.79 | % |
| Flip-off | 1 | 0.79 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 1 | 0.79 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 7 | 5.56 | % |
| Single Particles | 6 | 4.76 | % |
| Total Particles | 3 | 2.38 | % |
| | 0 | 0.00 | % |
| Fill Level | 2 | 1.59 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|------|---------|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | 0.00 | ON % |
| | 0 0 | | |
| Totals: | 0 | 0.00 | % |
| <i>Totals:</i> Single Particles | 0 | 0.00 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|