

User:	5	Supervisor
Product:	1	Ampoules. 1ml
Batch:	1111111	
Notes:		

29 July 2015 15:03:31

Date Time

Starting date:	29/07/2015	3:02:42 PM
Ending date:	29/07/2015	3:03:31 PM

Counters:

INSPECTED	4		
ACCEPTED	0	0.00	%
REJECTED	2	50.00	%
TECNICAL REJECT	2	50.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	2	50.00	%
Still Particles	2	50.00	%
Tot. Still Particles	2	50.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	2	50.00	%
Single Particles	2	50.00	%
Total Particles	2	50.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	2	50.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: