

## Batch:

21490035

9	adaml
9	100ml high density
potass	sium acetate 1707068 rejects
	9

07 July 2017 14:44:48

## Date Time

 Starting date:
 07/07/2017
 2:41:51 PM

 Ending date:
 07/07/2017
 2:44:47 PM

## Counters:

INSPECTED	5		
ACCEPTED	1	20.00	%
REJECTED	4	80.00	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Flip-off	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	4	80.00	%
Single Particles	4	80.00	%
Total Particles	4	80.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 80.00	ON %
	AVAILA 4 4		
Totals:	4	80.00	%
<i>Totals:</i> Single Particles	4	80.00 80.00	% %

Approved by:	Verified by:	
--------------	--------------	--