

User:	9	simonb
Product:	17	2ml update
Batch:	2ml update ts5 run 1	
Notes:		

21 March 2018 16:03:53

Date Time

Starting date:	21/03/2018	4:03:11 PM
Ending date:	21/03/2018	4:03:53 PM

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	8	53.33	%
Single Particles	5	33.33	%
Total Particles	8	53.33	%
	0	0.00	%
Fill Level	2	13.33	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	66.67	%
Single Particles	10	66.67	%
Total Particles	10	66.67	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	6.67	%
Still Particles	1	6.67	%
Tot. Still Particles	1	6.67	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	10	66.67	%
Single Particles	10	66.67	%
Total Particles	10	66.67	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			OFF
<i>Totals:</i>	0	0.00	%
LKD2			OFF
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: