

Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	15122	215
Notes:		

21 December 2015 11:55:14

Date Time

 Starting date:
 21/12/2015
 5:55:45 AM

 Ending date:
 21/12/2015
 11:55:14 AM

Counters:

INSPECTED	20508		
ACCEPTED	14171	69.10	%
REJECTED	5865	28.60	%
TECNICAL REJECT	472	2.30	%

Reject details:

ST0	AVAILABLE		ON
Totals:	2676	13.05	%
Height	2499	12.19	%
Shape	285	1.39	%
Black Spot	49	0.24	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1306	6.37	%
Single Particles	886	4.32	%
Total Particles	1190	5.80	%
	0	0.00	%
Fill Level	115	0.56	%
ST2	AVAILABLE		ON
Totals:	1467	7.15	%
Single Particles	1098	5.35	%
Total Particles	1431	6.98	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	34	0.17	%
Still Particles	29	0.14	%
Tot. Still Particles	24	0.12	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	2385	11.63	%
Single Particles	1858	9.06	%
Total Particles	2359	11.50	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	% %

LKD counters			
LKD1			ON
Totals:	28	0.14	%
LKD2			ON
Totals:	597	2.91	%

Approved by:	Verified by:
--------------	--------------