

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge Set 1710068
Notes:		

09 October 2017 11:54:11

Date Time

 Starting date:
 09/10/2017
 11:50:27 AM

 Ending date:
 09/10/2017
 11:54:10 AM

Counters:

INSPECTED	15		
ACCEPTED	3	20.00	%
REJECTED	12	80.00	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	6.67	%
Min Still particles	1	6.67	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	20.00	%
Flip-off	1	6.67	%
Aluseal Area	2	13.33	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	9	60.00	%
Single Particles	5	33.33	%
Total Particles	7	46.67	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	6	40.00	%
Single Particles	6	40.00	%
Total Particles	6	40.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
		ABLE	ON
Totals:	6	40.00	ON %
<i>Totals:</i> Single Particles	6 6	40.00 40.00	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--