

Batch:

21490030

| User: | 5 | Supervisor |
|----------|-------|----------------|
| Product: | 4 | Ampoules. 10ml |
| Batch: | 11111 | 11 |
| Notes: | | |
| | | |
| | | |
| | | |

13 July 2015 15:22:38

Date Time

| Starting date: | 30/06/2015 | 9:58:11 AM |
|----------------|------------|------------|
| Ending date: | 13/07/2015 | 3:22:37 PM |

Counters:

| INSPECTED | 4 | | |
|-----------------|---|--------|---|
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 4 | 100.00 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|-------|----|
| Totals: | 1 | 25.00 | % |
| Height | 0 | 0.00 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 1 | 25.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 1 | 25.00 | % |
| Single Particles | 1 | 25.00 | % |
| Total Particles | 1 | 25.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 1 | 25.00 | % |
| Single Particles | 1 | 25.00 | % |
| Total Particles | 1 | 25.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 1 | 25.00 | % |
| Still Particles | 1 | 25.00 | % |
| Tot. Still Particles | 1 | 25.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|------------------|----------------|----------|
| Totals: | 1 | 25.00 | % |
| Single Particles | 1 | 25.00 | % |
| Total Particles | 1 | 25.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 0 0 | 0.00 | % |
| | 0 0 0 0 | 0.00 | % |

| LKD counters | | | | |
|--------------|---|-------|----|--|
| LKD1 | | | ON | |
| Totals: | 0 | 0.00 | % | |
| LKD2 | | | | |
| Totals: | 3 | 75.00 | % | |

| Approved by: | Verified by: |
|--------------|--------------|
|--------------|--------------|