

Batch:

21490035

| User: | 1 | darylw |
|----------|-------|-----------------------|
| Product: | 3 | 50ml Production |
| Batch: | potas | sium chloride 1711218 |
| Notes: | | |
| | | |
| | | |
| | | |

22 November 2017 13:15:48

Date Time

 Starting date:
 22/11/2017
 8:45:20 AM

 Ending date:
 22/11/2017
 1:15:48 PM

Counters:

| INSPECTED | 10356 | | |
|------------------|-------|-------|---|
| ACCEPTED | 10207 | 98.56 | % |
| REJECTED | 128 | 1.24 | % |
| TECHNICAL REJECT | 21 | 0.20 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 18 | 0.17 | % |
| Min Still particles | 18 | 0.17 | % |
| Tot. Still Particles | 3 | 0.03 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 73 | 0.70 | % |
| Flip-off | 16 | 0.15 | % |
| Aluseal Area | 30 | 0.29 | % |
| Crimping | 47 | 0.45 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 37 | 0.36 | % |
| Single Particles | 5 | 0.05 | % |
| Total Particles | 34 | 0.33 | % |
| | 0 | 0.00 | % |
| Fill Level | 3 | 0.03 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|--------------|---------|
| Totals: | 3 | 0.03 | % |
| Single Particles | 2 | 0.02 | % |
| Total Particles | 3 | 0.03 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | · | ON |
| ST5 Totals: | AVAIL/ | · | ON % |
| | AVAIL/ 6 4 | ABLE | |
| Totals: | 6 | 0.06 | % |
| <i>Totals:</i> Single Particles | 6 4 | 0.06 0.04 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|