

User:	1	darylw
Product:	3	Production 5ml
Batch:	challenge set 1709015	
Notes:		

06 September 2017 08:25:17

Date Time

Starting date:	06/09/2017	8:11:43 AM
Ending date:	06/09/2017	8:25:16 AM

Counters:

INSPECTED	22		
ACCEPTED	6	27.27	%
REJECTED	16	72.73	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	3	13.64	%
Height	2	9.09	%
Shape	0	0.00	%
Black Spot	2	9.09	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	9	40.91	%
Single Particles	9	40.91	%
Total Particles	9	40.91	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	11	50.00	%
Single Particles	10	45.45	%
Total Particles	11	50.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	4.55	%
Still Particles	1	4.55	%
Tot. Still Particles	1	4.55	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	10	45.45	%
Single Particles	9	40.91	%
Total Particles	10	45.45	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	4.55	%
LKD2			ON
<i>Totals:</i>	1	4.55	%

Approved by:

Verified by: