

Batch:

21490030

9	adaml
18	Product 18 magnesiam
magr	nesium sulfate 50% 1602295
	18

28 February 2016 14:48:37

Date Time

 Starting date:
 28/02/2016
 2:12:39 PM

 Ending date:
 28/02/2016
 2:48:37 PM

Counters:

INSPECTED	788		
ACCEPTED	216	27.41	%
REJECTED	320	40.61	%
TECNICAL REJECT	252	31.98	%

Reject details:

ST0	AVAILABLE		ON
Totals:	19	2.41	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	19	2.41	%
Colour Rings	0	0.00	%
ST1	AVAIL	ABLE	ON
Totals:	178	22.59	%
Single Particles	2	0.25	%
Total Particles	3	0.38	%
	0	0.00	%
Fill Level	176	22.34	%
ST2	AVAILABLE		ON
Totals:	22	2.79	%
Single Particles	11	1.40	%
Total Particles	22	2.79	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	1	0.13	%
Still Particles	1	0.13	%
Tot. Still Particles	1	0.13	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAIL	ABLE	ON
Totals:	22	2.79	%
Single Particles	12	1.52	%
Total Particles	22	2.79	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	% %

L	KD counters		
LKD1			ON
Totals:	2	0.25	%
LKD2			ON
Totals:	164	20.81	%

Approved by:	Verified by:
--------------	--------------