

## Batch:

21490035

User:	1	yvie
Product:	3	50ml Production
Batch:	Challe	enge 1808298
Notes:		

31 August 2018 14:14:16

## Date Time

 Starting date:
 31/08/2018
 14:12:59

 Ending date:
 31/08/2018
 14:14:15

## Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	13.33	%
Min Still particles	2	13.33	%
Tot. Still Particles	2	13.33	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	20.00	%
Flip-off	1	6.67	%
Aluseal Area	2	13.33	%
Crimping	2	13.33	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	46.67	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 33.33	ON %
Totals:	5	33.33	%
<i>Totals:</i> Single Particles	5 5	33.33 33.33	%

Approved by:	Verified by:	
--------------	--------------	--