

## Batch:

21490035

User:	1	Mitchf
Product:	3	50ml Production
Batch:	Challe	enge Set 1710208
Notes:		

18 October 2017 12:46:46

## Date Time

 Starting date:
 18/10/2017
 12:45:32 PM

 Ending date:
 18/10/2017
 12:46:45 PM

## Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	10	66.67	%
Flip-off	9	60.00	%
Aluseal Area	1	6.67	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	8	53.33	%
Single Particles	4	26.67	%
Total Particles	8	53.33	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
		ABLE	ON
Totals:	5	ABLE 33.33	ON %
<i>Totals:</i> Single Particles	5 3	ABLE 33.33 20.00	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--