

## Batch:

21490035

| 1 | kevc            |
|---|-----------------|
| 3 | 50ml Production |
|   |                 |
|   |                 |
|   |                 |
|   |                 |
|   |                 |

01 June 2020 11:52:42

## Date Time

| Starting date: | 01/06/2020 | 11:04:13 |
|----------------|------------|----------|
| Ending date:   | 01/06/2020 | 11:52:42 |

## Counters:

| INSPECTED        | 0 |      |   |
|------------------|---|------|---|
| ACCEPTED         | 0 | 0.00 | % |
| REJECTED         | 0 | 0.00 | % |
|                  |   |      |   |
| TECHNICAL REJECT | 0 | 0.00 | % |

## Reject details:

| ST0                  | NOT AVAILABLE |      | OFF |
|----------------------|---------------|------|-----|
| Totals:              | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST1                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Min Still particles  | 0             | 0.00 | %   |
| Tot. Still Particles | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST2                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Flip-off             | 0             | 0.00 | %   |
| Aluseal Area         | 0             | 0.00 | %   |
| Crimping             | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST3                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Single Particles     | 0             | 0.00 | %   |
| Total Particles      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| Fill Level           | 0             | 0.00 | %   |

| ST4                             | AVAILABLE   |              | ON      |
|---------------------------------|-------------|--------------|---------|
| Totals:                         | 0           | 0.00         | %       |
| Single Particles                | 0           | 0.00         | %       |
| Total Particles                 | 0           | 0.00         | %       |
|                                 | 0           | 0.00         | %       |
|                                 | 0           | 0.00         | %       |
|                                 |             |              |         |
| ST5                             | AVAIL       | ABLE         | ON      |
| ST5 Totals:                     | AVAIL/      | ABLE<br>0.00 | ON<br>% |
|                                 | 0<br>0      |              |         |
| Totals:                         | 0<br>0<br>0 | 0.00         | %       |
| <i>Totals:</i> Single Particles | 0           | 0.00         | %<br>%  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|